

Product environmental attributes - THE ECO DECLARATION

The declaration may be published only when all rows and/or fields marked with an * are filled-in (n.a. for not applicable).

Additional information regarding each item may be found under P14.

Brand *	Toshiba	Logo
Company name *	Toshiba Europe GmbH	
Contact information *	Toshiba Europe GmbH Anke Strangfeld Hammfelddamm 8, 41460 Neuss email:environment@toshiba.eu	TOSHIBA Leading Innovation >>>
Internet site *	http://www.toshiba-europe.com/computers/environment	
Additional information		

The company declares (b	The company declares (based on product specification or test results based obtained from sample testing), that the product			
conforms to the statements given in this declaration.				
Type of product * Portable PC				
Commercial name *	Satellite C70-A, Satellite C75-A			
Model number *	PSCE6E, PSCE8E, PSCE9E			
Issue date *	3-09-24			
Intended market *	Global 🔀 Europe 🗌 Asia, Pacific & Japan 🗌 Americas 🔲 Other			
Additional information				

This is an uncontrolled copy when in printed form. Please refer to the contact information for the latest version.

Quality	Control	Requireme	ent met
Item		Yes	No
QC1 *	The company enforces an internal quality control scheme to ensure the correctness of this eco declaration	\boxtimes	
QC2 *	The company is a member of an eco declaration system that enforces regular independent quality control such as organized by IT-Företagen (see www.itecodeclaration.org).	ol 🗌	

Model number *	PSCE6E, PSCE8E, PSCE9E		
Issue date *	2013-09-24	Logo	TOSHIBA Leading Innovation >>>

Product environmental attributes - Legal requirements			emen	t met
Item		Yes	No	n.a.
P1	Hazardous substances and preparations			
P1.1*	Products do not contain more than; 0.1% lead, 0.01% cadmium, 0.1% mercury, 0.1% hexavalent chromium, 0.1% polybrominated biphenyls (PBB) or 0.1% polybrominated diphenyl ethers (PBDE). (See legal reference and Note B1)			
P1.2*	Products do not contain Asbestos (see legal reference). Comment: Legal reference has no maximum concentration value.	\boxtimes		
P1.3*	Products do not contain Ozone Depleting Substances: Chlorofluorocarbons (CFC), hydrobromofluorocarbons (HBFC), hydrochlorofluorcarbons (HCFC), Halons, carbontetrachloride, 1,1,1-trichloroethane, methyl bromide (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.4*	Products do not contain more than; 0.005% polychlorinated biphenyl (PCB), 0.005% polychlorinated terphenyl (PCT) in preparations (see legal reference).	\boxtimes		
P1.5*	Products do not contain more than 0.1% short chain chloroparaffins (SCCP) with 10-13 carbon atoms in the chain containing at least 48% per mass of chlorine in the SCCP (see legal reference).			
P1.6*	Textile and leather parts with direct skin contact do not contain Tri-(2,3,-dibromopropyl)-phosphate (TRIS), Tris-(aziridinyl)-phosphineoxide (TEPA), polybrominated biphenyl (PBB) (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.7*	Textile and leather parts with direct skin contact do not contain more than 0.003% Azo colorants that split aromatic amines. (See legal reference and Note B1)			\boxtimes
P1.8*	Wooden parts do not contain arsenic and chromium as a wood preservation treatment as well as pentachlorophenol and derivatives (see legal reference). Comment: Legal reference has no maximum concentration values.			
P1.9*	Parts with direct and prolonged skin contact do not release nickel in concentrations above 0.5 microgram/cm ² /week (see legal reference). Comment: Max limit in legal reference when tested according to EN1811:1998.			
P1.10*	REACH Article 33 information about substances in articles is available at (add URL or mail contact): http://eu.computers.toshiba-europe.com/innovation/generic/200711_ENVIRONMENT_pd/			
P2	Batteries			
P2.1*	If the product contains a battery or an accumulator, it is labeled with the disposal symbol and if it contains more than 0.0005% of mercury (for button cells only) by weight, or more than 0.004% of lead, it shall be marked with the chemical symbol for the metal concerned, Hg or Pb. Information on proper disposal is			
P2.2*	provided in user manual. (See legal reference) Button cells used in the product do not contain more than 2% by weight of mercury. Other batteries or			
P2.3*	accumulators do not contain more than 0.0005% of mercury or 0.002% of cadmium. (See legal reference) Batteries and accumulators are easily removable by either users or service providers (as dependent on the design of the product). Exception: Batteries that are permanently installed for safety, performance, medica or data integrity reasons do not have to be "easily removable". (See legal reference)			
P3	Safety, EMC connection to the telephone network and labeling			
P3.1*	The product complies with legally required safety standards as specified (see legal reference).	$\overline{\mathbb{X}}$		
P3.2*	The product complies with legally required standards for electromagnetic compatibility (see legal reference).			
P3.3*	If product is intended for connection to a public telecom network or contains a radio transmitter, it complies with legally required standards for radio and telecommunication devices (see legal reference).			
P3.4*	The product is labeled to show conformance with applicable legal requirements (see legal reference).	\square		
P4	Consumable materials			
P4.1*	If a photo conductor (drum, belt etc.) is used in the product, it does not contain cadmium max 0.01% (see legal reference and Note B1).			\boxtimes
P4.2*	If ink/toner is used in the product, it does not contain cadmium max 0.1% by weight (see legal reference).			X
P4.3*	If the ink/toner formulation/preparation is classified as hazardous according to applicable regulations, the product/packaging is adequately labeled and a Safety Data Sheet (SDS) in accordance with these requirements is available (see legal reference).			
P5	Product packaging			
P5.1*	Packaging and packaging components do not contain more than 0.01% lead, mercury, cadmium and hexavalent chromium by weight of these together.	d 🔀		
P5.2*	Plastic packaging material is marked according to ISO 11469 referring ISO 1043 (see legal reference).	\boxtimes		
P5.3*	The product packaging material is free from ozone depleting substances as specified in the Montrea Protocol (see legal reference). Comment: Legal reference has no maximum concentration values.	I 🔀		

Note B1: Restriction applies to the homogeneous material, unless other specified and expressed in weight %.

Model number *	PSCE6E, PSCE8E, PSCE9E		
Issue date *	2013-09-24	Logo	TOSHIBA Leading Innovation >>>

**mandatory to fill in . Additional information regarding each item may be found under P14.
P6.1* Information for recyclers/treatment facilities is available (see legal reference).
P7.1° Parts that have to be treated separately are easily separable P7.2° Plastic materials in covers/housing have no surface coating. P7.3° Plastic parts > 100g consist of one material or of easily separable materials. P7.4° Plastic parts > 100g consist of one material or of easily separable materials. P7.4° Plastic parts > 100g consist of one material or of easily separable materials. P7.4° Plastic parts > 100g consist of one material or of easily separable materials. P7.5° Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6° Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.6° Upgrading can be done e.g., with processor, memory, cards or drives P7.8° Upgrading can be done e.g., with processor, memory, cards or drives P7.8° Upgrading can be done e.g., with processor, memory, cards or drives P7.8° Upgrading can be done e.g., with processor, memory, cards or drives P7.8° Upgrading can be done e.g., with processor, memory, cards or drives P7.8° Upgrading can be done e.g., with processor, memory available tools P7.9° Separe parts are available after end of production for: See P14 years P7.10° Separable after end of production for: See P14 years P7.11° Product cover/housing material type: P7.12° P7.12° Electrical cable insulation materials of power cables are PVC free. P7.13° Electrical cable insulation materials of signal cables are PVC free. P7.14° P7.1
P7.1° Parts that have to be treated separately are easily separable
P7.1* Parts that have to be treated separately are easily separable P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done using commonly available tools P7.9* Spare parts are available after end of production for: 5 years P7.10* Service is available after end of production for: 5 years P7.11* Product Cover/housing material type: Material and substance requirements P7.12* Electrical cable insulation materials of power cables are PVC free. P7.13* Electrical cable insulation materials of signal cables are PVC free. P7.14* All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15* All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16* Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR.40) P7.17* All . Chemical specifications of flame retardants in printed circuit boards (without components): TBBPA (additive) TBBPA (reactive) Other; chemical name: Comment: No legal limits exist, this is a market requirement. 1. Chemical specifications of flame retardants in printed circuit boards (without components): Comment: No legal limits exist, this is a market requirement. 1. Chemical name: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: Comment: No legal limits exist, this is a market requirement. 1. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: EVALUATION OF ALL PACES AREA AREA (AREA (AR
P7.2* Plastic materials in covers/housing have no surface coating. P7.3* Plastic parts >100g consist of one material or of easily separable materials. P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done e.g. with processor, memory, cards or drives P7.9. Spare parts are available after end of production for: 5 years P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: See P14 years Material and substance requirements P7.11* Product cover/housing material type: Material type: PC+ABS Material type: PC+BS Mate
P7.3' Plastic parts >100g consist of one material or of easily separable materials. P7.4' Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P1.5' Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6' Labels are easily separable. (This requirement does not apply to safety/regulatory labels). P7.7' Upgrading can be done e.g. with processor, memory, cards or drives P7.8' Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11' Product cover/housing material type: Material and substance requirements P7.11' Product cover/housing material type: Material pye: PC+ABS Note PABS
P7.4* Plastic parts >25g have material codes according to ISO 11469 referring ISO 1043. P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. P7.6* Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done e.g. with processor, memory, cards or drives P7.9* Upgrading can be done using commonly available tools P7.9* Upgrading can be done using commonly available tools P7.9* Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11* Product cover/housing material type: Material and substance requirements P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. Note B2) P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.17 Chemical specifications of flame retardants in printed circuit boards (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according
P7.5 Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools. □ P7.6 Labels are easily separable. (This requirement does not apply to safety/regulatory labels). □ Product lifetime P7.7 Upgrading can be done e.g. with processor, memory, cards or drives □ Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years Service is available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11 Service is available after end of production for: See P14 years Material and substance requirements P7.12 Electrical cable insulation materials of power cables are PVC free. □ P7.13 Electrical cable insulation materials of signal cables are PVC free. □ P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. □ P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See □ □ Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □
P7.6' Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7' Upgrading can be done e.g. with processor, memory, cards or drives P7.8' Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11' Product cover/housing material type: Material and substance requirements P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards >25g (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R50, R51, R53, R
P7.6' Labels are easily separable. (This requirement does not apply to safety/regulatory labels). Product lifetime P7.7' Upgrading can be done e.g. with processor, memory, cards or drives P7.8' Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11' Product cover/housing material type: Material and substance requirements P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards >25g (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R50, R51, R53, R
Pr.00 Upgrading can be done e.g. with processor, memory, cards or drives Pr.8 Upgrading can be done using commonly available tools Pr.9. Spare parts are available after end of production for: 5 years Pr.10 Service is available after end of production for: 5 years Pr.11 Product cover/housing material type: Material and substance requirements Pr.12 Electrical cable insulation materials of signal cables are PVC free. Pr.13 Electrical cable insulation materials of signal cables are PVC free Pr.14 All cover/housing plastic parts >25g are free from chlorine and bromine. Pr.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) Pr.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) Pr.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) Pr.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limitis exist, this is a market requirement. 1. Chemical name:, CAS #: 2. Chemical name:, CAS #: 3. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) Pr.19 Plastic parts >25g are free from flame retardants substances/ preparations above 0.1% classified as R45,
P7.7* Upgrading can be done e.g. with processor, memory, cards or drives P7.8* Upgrading can be done e.g. with processor, memory, cards or drives P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: See P14 years Material and substance requirements P7.11* Product cover/housing material type: Material type: Material type: P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free. P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: R1k. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive)
P7.8' Upgrading can be done using commonly available tools P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: 5 years P7.11 Product cover/housing material type: Material type: PC+ABS Material type: Material type: Material type: PC+ABS P7.16 Flame retarded plastic parts >25g are free from chlorine and bromine. P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards (without components): PC-AS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: PR/16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: PR/40 P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50,
P7.9. Spare parts are available after end of production for: 5 years P7.10 Service is available after end of production for: See P14 years
P7.10 Service is available after end of production for: See P14 years Material and substance requirements Product cover/housing material type: Material type: PC-ABS Materi
Material and substance requirements P7.11* Product cover/housing material type: Material type: PC+ABS
P7.11 Product cover/housing material type: Material type: PC+ABS
Material type: PC+ABS
P7.12 Electrical cable insulation materials of power cables are PVC free. P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) TBBPA (reactive) Other; chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: CAS #: 2. Chemical name: CAS #: 3. Chemical name: CAS #: 3. Chemical name: CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.13 Electrical cable insulation materials of signal cables are PVC free P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.14 All cover/housing plastic parts >25g are free from chlorine and bromine. P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4:
P7.15 All printed circuit boards (without components) >25g are halogen free. as defined in IEC61249-2-21. (See Note B2) P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: P7.17
P7.16 Flame retarded plastic parts >25g in covers / housings are marked according ISO 1043-4: Marking: FR(40) P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) , TBBPA (reactive) , Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive) ☐, TBBPA (reactive) ☐, Other; chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: 4lt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.17 Alt. 1 Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name:, CAS #: 2. Chemical name:, CAS #: 3. Chemical name:, CAS #: 4. L. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Chemical specifications of flame retardants in printed circuit boards >25g (without components): TBBPA (additive), TBBPA (reactive), Other; chemical name:, CAS #: Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name:, CAS #:
Alt. 2 Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Chemical specifications of flame retardants in printed circuit boards (without components) >25g according ISO 1043-4: FR(16) P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.18 Alt. 1 Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Flame retarded plastic parts >25g contain the following flame retardant substances/preparations in concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
concentrations above 0.1%: Comment: No legal limits exist, this is a market requirement. 1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
1. Chemical name: , CAS #: 2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
2. Chemical name: , CAS #: 3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
3. Chemical name: , CAS #: Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Alt. 2 Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
Chemical specifications of flame retardants in plastic parts >25g according ISO 1043-4: FR(40) P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.19 Plastic parts >25g are free from flame retardant substances/ preparations above 0.1% classified as R45, R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
R40, R46, R48, R50, R51, R53, R60, R61 and any combination of these (See Note B3)
P7.20 Of total plastic parts' weight >25g, recycled material content is 0%.
P7.21 Of total plastic parts' weight >25g, biobased material content is %.
P7.22 Light sources are free from mercury
If mercury is used specify: Number of lamps: and max. mercury content per lamp: mg
P8 Batteries
P8 1* Pottony chemical composition: Main bottony I i ion PTC betterny !
P8.1* Battery chemical composition: <i>Main battery:Li-ion, RTC battery:Li</i> P8.2 Batteries meet the requirements of the following voluntary program/s: <i>Do not use Ni-Cd batteries, Pb-free</i>

Note B2: IEC61249-2--21 has maximum limits for chlorine and bromine but does not address fluorine, iodine and astatine which are included in the group of halogens.

Note B3: 'Starting from January 2009, Risk phrases can be replaced by Hazard phrases according to the Globally Harmonized System (GHS), mandatory by December 2010.

Model number *	PSCE6E, PSCE8E, PSCE9E		
Issue date *	2013-09-24	Logo	TOSHIBA Leading Innovation >>>

Product environmental attributes - Market requirements (continued) Requirement met				met		
Item					Yes No	n.a.
P9 Energy consum	ption					
9.1 For the product the			consumptions are report	ted:		
Energy mode *	Power level at 100 V AC	Power level at 115 V AC	Power level at 23	0 V AC	Reference / Standard for energy modes and test	
Idle mode	W	W	7.47 W		ENERGY STAR	
Sleep mode with WOL	W	W	0.63 W		ENERGY STAR	
Off mode wirh out WOL	W	W	0.46 W		ENERGY STAR	
EPS No-load (External power supply / charger plugged in the wall outlet but disconnected from the product.)	W	W				
PTEC *	W	W				
Typical Energy Consumption TEC * Typical Energy Consumption	kWh/week	kWh/week				
ETEC *			22.65 kWh/year		ENERGY STAR	
Annual Energy Consumption Display resolution*:	kWh/year Megapixels	kWh/year				
. ,	mages per minute					
'		Display off), 30(to	o Sleep) minutes			
••	Default time to enter energy save mode: 15(to Display off), 30(to Sleep) minutes P9.2* Information about the energy save function is provided with the product.			H		
	ts the energy requi		llowing voluntary program category: Notebook com			
P10 Emissions						
	 Declared accord 	ing to ISO 9296				
P10.1 Mode	Mode description		Declared A-weighted sound power		lared A-weighted ssure level $L_{p{\sf Am}}$ (dB)	
			level L_{WAd} (B)	Operator position Deskto or Desk sid	p (only if product is not	
Idle	* ISO7779 Idle		* 3.03		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Operation	* ISO7779 Operat	tion-HDD	* 3.13			
Other mode	ISO7779 ODD (When ODD opera	ates) 4.56			
Measured accord	ling to: X ISO777 Other		covered by ECMA-74 wit	h L _{pAm} measurem	nent distance m)	

Model number *	PSCE6E, PSCE8E, PSCE9E		
Issue date *	2013-09-24	Logo	TOSHIBA Leading Innovation >>>

Product	environmental attributes - Market requirements (continued)	Require	ment	met
Item		Yes	No	n.a.
	Chemical emissions from printing products			
P10.3*	Test performed according to ECMA-328 (ISO/IEC 28360) standard , other specify:			X
P10.4	Typical emission rate (print phase) is (mg/h):			X
	Dust Ozone Styrene Benzene TVOC			
P10.5	Chemical emission requirements of the following voluntary program/s are met for :			\boxtimes
	Dust Ozone Styrene Benzene TVOC			
	Electromagnetic emissions			
P10.6	Computer display meets the requirement for low frequency electromagnetic fields of the following voluntary program/s:			
P11	Consumable materials for printing products			
P11.1*	A Safety Data Sheet (SDS) is available for the ink/toner preparation, even if not legally required (see P4.3).			\boxtimes
P11.2*	Paper containing post-consumer recycled fibers can be used, provided that it meets the requirements of EN12281.	of		
P11.3*	2-sided (duplex) printing/copying is an integrated product function.			\boxtimes
P12	Ergonomics for computing products			
P12.1*	The display meets the ergonomic requirements of ISO 9241-307 for visual display technologies.			\boxtimes
P12.2*	The physical input device meets the requirements of ISO 9995 and ISO 9241-410.			\boxtimes
P13	Packaging and documentation			
P13.1*	Product packaging material type(s): cardboard weight (kg): 0,429			
D40.0*	Product packaging material type(s): plactics weight (kg): 0,105		_	_
P13.2*	Product plastic packaging is free from PVC.	\boxtimes		
P13.3*	Specify media for user and product documentation (tick box): Electronic , Paper , Other .			Ш
P13.4*	For paper user and product documentation, please specify contained percentage of post-consumer recycled fiber: P14			
Rev. P13.5	User and product documentation do not contain chlorine bleached paper			
P14	Additional information (See Note B4)			
P7.10	Service period depends on service agreement.			
P7.19	The definition of plastic parts in this item does not include cables in harmonization with TCO. AC cal includes R40 substances.			
P9	Energy Efficiency information published on The Eco Declaration represents only the characterictics standard configuration meeting ENERGY STAR specifications. Use of differnt configurations or optional devices changes the energy efficiency data listed above.	of a mode	el with	1
P10	Acoustic noise information published on The Eco Declaration represents the characteristics of a moconfiguration. Characteristics of models with different configurations may vary.			
P13.4	Paper for documentation for Europe is made of 100% FSC mixed sources. The wood for the paper comes from FSC-certified well managed forests, recycled material and/or controlled wood which comes from non-controversial sources.			
	Information contained in this document is approximate and provided for informational purposes only Toshiba provides this information without warranties of any kind neither expressed nor implied incluto warranties for a particular purpose. Toshiba does not warrant that the content will be error free. All information in this document is provitorshiba's knowledge at the time of completion, and Toshiba has no obligation to update such information.	/. Iding but ded to th	not lii	nited

Note B4: Additional lines may be inserted to declare further items, by positioning the cursor at the far right of the row and hitting the <Enter> key.

Legal references Europe Annex B

Reference	Declaration item
2002/95/EC (ROHS Directive)	P1.1, P4.1
REACH, Annex XVII	P1.6, P1.8, P4.2
REACH, Annex XVII	P1.4
REACH, Annex XVII	P1.2
REACH, Annex XVII	P1.7
REACH, Annex XVII	P1.9
Regulation (EC) No. 2037/2000, 2038/2000, 2039/2000	P1.3
Norwegian regulation relating to restrictions on the use of certain dangerous chemicals 20.12.2002	P1.5
2006/66/EC (Battery and accumulators Directive)	P2.1, P2.2, P2,3, P3.4, P8.1
2006/95/EC (Low Voltage Directive)	P3.1, 3.4
2004/108/EEC (New EMC Directive)	P3.2, 3.4
1999/5/EC (R&TTE Directive)	P3.3, 3.4
"REACH" Regulation (1907/2006), annex VII	P1.10
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P4.3
REACH article 31, annex II	P4.3
2004/12/EC (Directive on packaging and packaging waste)	P5.1
(97/129/EC) (Commission Decision on Identification System for Packaging Materials	P5.2
2037/2000/EC Regulation on Substances that Deplete the Ozone Layer	P5.3
2002/96/EC (WEEE directive)	P3.4, P6.1
(EC) No.1272/2008 regulation on classification, labeling and packaging (CLP)	P7.19